


hansgrohe

- DE** Montageanleitung
- FR** Instructions de montage
- EN** assembly instructions




Vernis Blend Vario Green
26090000

Vernis Blend Vario EcoSmart
26340XXX

- DE** Reinigungsempfehlung / Garantie / Kontakt
FR Recommandation pour le nettoyage / Garanties / Contact
EN Cleaning recommendation / Warranty / Contact



[www.hansgrohe.com/
cleaning-recommendation](http://www.hansgrohe.com/cleaning-recommendation)




[www.hansgrohe.com/
cleaning-recommendation](http://www.hansgrohe.com/cleaning-recommendation)









[www.hansgrohe.com/
cleaning-recommendation](http://www.hansgrohe.com/cleaning-recommendation)



[www.hansgrohe.com/
cleaning-recommendation](http://www.hansgrohe.com/cleaning-recommendation)




- DE** Einfach sauber: Kalk lässt sich von den Noppen ganz leicht abrubbeln.
- FR** La propreté en toute simplicité: les dépôts formés sur les buses élastiques en silicone s'éliminent par un simple passage de la main.
- EN** Just clean: simply rub over the spray nozzles to remove lime scale.





P max.
0,6 MPa
6 bar

0,1 - 0,4 MPa
1 - 4 bar




T max.
60 °C

< 50 °C



Vernis Blend Vario Green

26090000




Q = l/min 0 3 6 9 12 15 18 21 24 27 30
Q = l/sec 0 0,1 0,2 0,3 0,4 0,5



Vernis Blend Vario EcoSmart

26340XXX




Q = l/min 0 3 6 9 12 15 18 21 24 27 30
Q = l/sec 0 0,1 0,2 0,3 0,4 0,5



Vernis Blend Vario Green

26090000

Vernis Blend Vario EcoSmart

26340XXX





	P-IX	DVGW	NF
26090000	P-IX 29828/IO	BT0633	
26340XXX	P-IX 29827/IZ	BT0633	X

