

Produktinformation

mawa®

LED

wittenberg 4.0 STANDSTRAHLER »parkett«


wittenberg 4.0 ist eigentlich zu schön, um in der Decke zu verschwinden. Und auch zu schön, um dort zu leuchten, wo ein Kabelauslass vorhanden ist. Deshalb haben wir die Produktfamilie erweitert und zwei Leuchtenmodelle mit Kabel, Schuko-Stecker und Tastdimmer entwickelt. »druff« und »parkett« sind eine Art Boomboxes für Lichtenthusiasten.

»druff« (Berliner Jargon für „put it on“) kommt „rinn in die Steckdose“ und dann „druff uffs Regal“. Dank des flexiblen Schwenk- und Drehvermögens können Bilder und Exponate gezielt akzentuiert und Atmosphäre geschaffen werden.

»parkett« ist der schwere Bruder von »druff« mit halbbündigen Lichtköpfen, zwei Tastdimmern und einem Fußschalter. Jeder Kopf individuell dimmbar. Standardmäßig liefern wir »parkett« mit einem spot und einem flood Reflektor.



- pulverbesch. weiß matt (9016)
- pulverbesch. schwarz matt (9005)
- Bicolor-Ausführung: Gehäuse schwarz matt/
Strahlerköpfe und Drehteller in kupfer (9005-cu)



»parkett« wi4-bod-2e-hb

Design: Jan Dinnebier, Martin Wallroth

Kopf 365° dreh- und 90° schwenkbar,

2 × LED, 12,7 W, 700 mA, CRI typ. 92,

Lichtfarben / Lichtstrom: 2700 K / 1100 lm,

3000 K / 1200 lm, 4000 K / 1350 lm,

Wechseloptiken mit Abstrahlwinkel:


12°, 24°, 38° (mittels Saugheber oder

Silikonpad austauschbar)

LED Lebensdauer > 50 000 Std., EEL = A⁺⁺ – A

dimmbar über zwei Taster mit Memory-Effekt,

Kabel: schwarz 2,5 m, Gewicht: 2150 g

Baureihen geprüft durch 

LVK auf www.mawa-design.de unter Produkte

Product Information

mawa®

LED


wittenberg 4.0

FREE-STANDING SPOTLIGHT »parkett«

wittenberg 4.0 is actually too beautiful to disappear into the ceiling, and too beautiful to only provide lighting where there is a cable outlet. This is why we have extended the product family and developed two light models with cable, Schuko plug and touch dimmer. »druff« and »parquet« are a kind of boombox for lighting enthusiasts. »druff« (Berlin slang for "put it on") goes into the plug socket and then onto the shelf. Thanks to the flexible rotating and tilting capability, pictures and exhibits can be specifically accentuated and an atmosphere can be created. »parquet« is the big brother of »druff« with semi-flush light heads, two touch dimmers and a foot switch. Each spot head is individually dimmable. Standard delivery of »parquet« includes both a spot and a flood reflector.



- powder-coated white matt (RAL9016)
- powder-coated matt black (mawa 9005)
- dual-color finishes: housing matt black/ heads and rotating plates in copper (9005-cu)



»parkett« wi4-bod-2e-hb

design: Jan Dinnebier, mawa engineering

spotlight 365° rotatable and 90° tiltable,

2 × LED, 12,7 W, 700 mA, CRI typ. 92,

light color/luminous flux: 2700 K / 1100 lm,

3000 K / 1200 lm, 4000 K / 1350 lm,

exchangeable lenses with beam angle


12°, 24°, 38° exchangeable by means

of vacuum cup or silicone pad,

LED life time > 50 000 Std., EEL = A++-A

dimnable via push button with memory

function, cable: black 2,5 m, weight: 2150g

Series examined by  DEKRA

LDC on www.mawa-design.de under Products

wittenberg 4.0

KOMPONENTEN / ZUBEHÖR COMPONENTS / ACCESSORIES

mawa®

Strahlerkopf mit LED-Einheit
Lichtfarben / Lichtstrom / CRI
spotlight with LED-unit
light colors / luminous flux / CRI

2700 K / 1100lm / CRI typ. 92
3000 K / 1200lm / CRI typ. 92
4000 K / 1350lm / CRI typ. 92

Sonderlichtfarben
special light colors
High CRI typ.98
warmdimm (in Vorbereitung)
warmdim (in process)

Linseneinheit
lens unit

spot 12°
wi4-li-12°

medium 24°
wi4-li-24°

flood 38°
wi4-li-38°

Wabenraster schwarz
honeycomb black
wi4-wa-s

Abblendring
shutter

19 mm wi4-sh-s

38 mm wi4-sh-m

76 mm wi4-sh-l

76 mm asymmetrisch wi4-sh-las



Dimmoptionen
dimming options

dimmbar 1–10V -3

dimmmable 1–10V

dimmbar DALI -4

DALI dimmable

dimmbar Phasenabschnitt -5

trailing edge dimmable

dimmbar Phasenan- und -abschnitt -7

trailing and leading edge dimmable

Silikonpad
silicone pad
wi4-sp

Skulpturenlinse
zur elliptischen
Lichtverteilung
sculpture lens
for elliptical
light distribution
wi4-vl-sk

LSD Aufweitervorsatz
LSD lighting shape diffusor
30° wi4-vl-30°
60° wi4-vl-60°



reddot design award
winner 2018



DESIGN PLUS
powered by: light+building



LIGHTING
DESIGN
AWARDS

Los Angeles



Award 2017
The Chicago Athenaeum



Green Award 2016
The Chicago Athenaeum